

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Des Moines County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
41: Sparta-----	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Deep to water	1.00
41B: Sparta-----	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Deep to water	1.00
51: Vesser-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.05	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01
54: Zook-----	Somewhat limited Seepage	0.01	Very limited Depth to saturated zone Hard to pack	1.00 0.93	Somewhat limited Slow refill Cutbanks cave	0.95 0.10
56B: Cantril-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.43 0.03	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
58E: Douds-----	Very limited Seepage Slope	1.00 0.04	Not limited		Very limited Deep to water	1.00
65D2: Lindley-----	Somewhat limited Seepage Slope	0.05 0.01	Somewhat limited Piping	0.33	Very limited Deep to water	1.00
65E: Lindley-----	Somewhat limited Seepage Slope	0.05 0.04	Somewhat limited Piping	0.33	Very limited Deep to water	1.00
65E2: Lindley-----	Somewhat limited Seepage Slope	0.05 0.04	Somewhat limited Piping	0.33	Very limited Deep to water	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Des Moines County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
65F: Lindley-----	Somewhat limited Slope Seepage	0.18 0.05	Somewhat limited Piping	0.33	Very limited Deep to water	1.00
65G: Lindley-----	Somewhat limited Slope Seepage	0.64 0.05	Somewhat limited Piping	0.33	Very limited Deep to water	1.00
74: Rubio-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Hard to pack	1.00 0.28	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
75: Givin-----	Somewhat limited Seepage	0.05	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.95 0.25 0.10
76B: Ladoga-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
76C: Ladoga-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
76C2: Ladoga-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
80B: Clinton-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
80C: Clinton-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
80C2: Clinton-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Des Moines County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
80D: Clinton-----	Somewhat limited Seepage Slope	0.70 0.01	Not limited		Very limited Deep to water	1.00
80D2: Clinton-----	Somewhat limited Seepage Slope	0.70 0.01	Not limited		Very limited Deep to water	1.00
122: Sperry-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Hard to pack	1.00 0.29	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
130: Belinda-----	Somewhat limited Seepage	0.01	Very limited Depth to saturated zone Hard to pack	1.00 0.12	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
131B: Pershing-----	Somewhat limited Seepage	0.05	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.95 0.25 0.10
131C2: Pershing-----	Somewhat limited Seepage	0.05	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.95 0.25 0.10
132B: Weller-----	Somewhat limited Seepage	0.05	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.95 0.25 0.10
132C: Weller-----	Somewhat limited Seepage	0.05	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.95 0.25 0.10

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Des Moines County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
132C2: Weller-----	Somewhat limited Seepage	0.05	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill	0.95
					Deep to water	0.25
					Cutbanks cave	0.10
133: Colo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill	0.30
					Cutbanks cave	0.10
133B: Colo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill	0.30
					Cutbanks cave	0.10
135: Coland-----	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Cutbanks cave	0.10
			Seepage	0.06		
			Piping	0.01		
158: Dorchester-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
163B: Fayette-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.09	Very limited Deep to water	1.00
163C: Fayette-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.09	Very limited Deep to water	1.00
163C2: Fayette-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.05	Very limited Deep to water	1.00
163D: Fayette-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.09	Very limited Deep to water	1.00
	Slope	0.01				

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Des Moines County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
172: Wabash-----	Not limited		Very limited Depth to saturated zone Hard to pack	1.00 1.00	Very limited Slow refill Cutbanks cave	1.00 0.10
173: Hoopeston-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.49	Very limited Cutbanks cave Deep to water	1.00 0.01
174: Bolan-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.18	Very limited Deep to water	1.00
174B: Bolan-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.18	Very limited Deep to water	1.00
175: Dickinson-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.62	Very limited Deep to water	1.00
175B: Dickinson-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.62	Very limited Deep to water	1.00
179D2: Gara-----	Somewhat limited Seepage Slope	0.05 0.01	Not limited		Very limited Deep to water	1.00
179E: Gara-----	Somewhat limited Seepage Slope	0.05 0.04	Somewhat limited Piping	0.05	Very limited Deep to water	1.00
179E2: Gara-----	Somewhat limited Seepage Slope	0.05 0.04	Not limited		Very limited Deep to water	1.00
180: Keomah-----	Somewhat limited Seepage	0.05	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.95 0.25 0.10

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Des Moines County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
208: Klum-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.07	Somewhat limited Deep to water Cutbanks cave	0.96 0.10
220: Nodaway-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Somewhat limited Deep to water Slow refill Cutbanks cave	0.81 0.30 0.10
222C: Clarinda-----	Not limited		Very limited Depth to saturated zone Hard to pack	1.00 0.87	Very limited Deep to water	1.00
223C2: Rinda-----	Not limited		Very limited Depth to saturated zone Hard to pack	1.00 0.95	Very limited Deep to water	1.00
223D2: Rinda-----	Somewhat limited Slope	0.01	Very limited Depth to saturated zone Hard to pack	1.00 0.95	Very limited Deep to water	1.00
263: Okaw-----	Not limited		Very limited Depth to saturated zone Hard to pack	1.00 0.84	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
263B: Okaw-----	Not limited		Very limited Depth to saturated zone Hard to pack	1.00 0.84	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
279: Taintor-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Hard to pack	1.00 0.21	Somewhat limited Slow refill Cutbanks cave	0.95 0.10

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Des Moines County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
280: Mahaska-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone	0.43	Somewhat limited Slow refill	0.30
					Deep to water	0.25
					Cutbanks cave	0.10
281B: Otley-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
281C2: Otley-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
291: Atterberry-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill	0.30
			Piping	0.98	Cutbanks cave	0.10
					Deep to water	0.01
362: Haig-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill	0.30
					Cutbanks cave	0.10
364B: Grundy-----	Not limited		Somewhat limited Depth to saturated zone	0.95	Very limited Slow refill	1.00
			Hard to pack	0.71	Cutbanks cave	0.10
					Deep to water	0.02
424D: Lindley-----	Somewhat limited Seepage	0.05	Somewhat limited Piping	0.33	Very limited Deep to water	1.00
	Slope	0.01				
Keswick-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill	0.95
	Slope	0.01			Cutbanks cave	0.10
					Deep to water	0.01

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Des Moines County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
424D2: Lindley-----	Somewhat limited Seepage Slope	0.05 0.01	Somewhat limited Piping	0.33	Very limited Deep to water	1.00
Keswick-----	Somewhat limited Seepage Slope	0.05 0.01	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave Deep to water	0.95 0.10 0.01
425D: Keswick-----	Somewhat limited Seepage Slope	0.05 0.01	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave Deep to water	0.95 0.10 0.01
425D2: Keswick-----	Somewhat limited Seepage Slope	0.05 0.01	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave Deep to water	0.95 0.10 0.01
430: Ackmore-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01
453: Tuskeego-----	Not limited		Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
478G: Nordness-----	Very limited Seepage Depth to bedrock Slope	1.00 1.00 0.64	Very limited Thin layer	1.00	Very limited Deep to water	1.00
Rock Outcrop-----	Not rated		Not rated		Not rated	

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Des Moines County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
484: Lawson-----	Somewhat limited Seepage	0.70	Very limited Piping Depth to saturated zone	1.00 1.00	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01
499F: Nordness-----	Very limited Seepage Depth to bedrock Slope	1.00 1.00 0.12	Very limited Thin layer	1.00	Very limited Deep to water	1.00
520: Coppock-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01
570B: Nira-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
570C2: Nira-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
571B: Hedrick-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
571C2: Hedrick-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
572B: Inton-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
572C2: Inton-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
730B: Nodaway-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Somewhat limited Deep to water Slow refill Cutbanks cave	0.81 0.30 0.10

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Des Moines County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Cantril-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.43 0.03	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
Klum-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.07	Somewhat limited Deep to water Cutbanks cave	0.96 0.10
779: Kalona-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Hard to pack	1.00 0.15	Somewhat limited Slow refill Cutbanks cave	0.95 0.10
793: Bertrand-----	Very limited Seepage	1.00	Very limited Piping	1.00	Very limited Deep to water	1.00
793B: Bertrand-----	Very limited Seepage	1.00	Very limited Piping	1.00	Very limited Deep to water	1.00
795D2: Ashgrove-----	Somewhat limited Slope	0.01	Very limited Depth to saturated zone Hard to pack	1.00 0.70	Very limited Deep to water	1.00
834: Titus-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.95 0.10
880B: Clinton-----	Somewhat limited Seepage	0.70	Not limited		Very limited Deep to water	1.00
893D2: Gara-----	Somewhat limited Seepage Slope	0.05 0.01	Not limited		Very limited Deep to water	1.00
Rinda-----	Somewhat limited Slope	0.01	Very limited Depth to saturated zone Hard to pack	1.00 0.95	Very limited Deep to water	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Des Moines County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
950: Niota Variant-----	Not limited		Very limited Depth to saturated zone Hard to pack	1.00 0.88	Very limited Deep to water	1.00
950D: Niota Variant-----	Somewhat limited Slope	0.01	Very limited Depth to saturated zone Hard to pack	1.00 0.88	Very limited Deep to water	1.00
960: Shaffton-----	Very limited Seepage	1.00	Very limited Seepage Depth to saturated zone	1.00 0.43	Very limited Cutbanks cave Deep to water	1.00 0.25
961: Ambraw-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.01	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
1273B: Olmitz Variant-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.04	Very limited Deep to water	1.00
1273C: Olmitz Variant-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.04	Very limited Deep to water	1.00
1316: Fluvaquents-----	Not rated		Not rated		Not rated	
1587: Dolbee-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
1826: Snider-----	Somewhat limited Seepage	0.70	Very limited Piping Depth to saturated zone	1.00 1.00	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01

FIELD OFFICE TECHNICAL GUIDE Sec. II
ENGINEERING INTERPRETATIONS

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Des Moines County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
2208: Klum-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.07	Somewhat limited Deep to water Cutbanks cave	0.96 0.10
2226: Elrin-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.41	Very limited Cutbanks cave Deep to water	1.00 0.81
2484: Lawson-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.88	Somewhat limited Slow refill Cutbanks cave Deep to water	0.30 0.10 0.01
4000: Urban Land-----	Not rated		Not rated		Not rated	
5010: Pits-----	Not rated		Not rated		Not rated	
5030: Pits-----	Not rated		Not rated		Not rated	
5040: Orthents-----	Not rated		Not rated		Not rated	
5080: Orthents-----	Not rated		Not rated		Not rated	
W: Water-----	Not rated		Not rated		Not rated	